

Counting Scale

- Heavy Duty Construction



Model	PSC-1-60	PSC-2-24	PSC-2-60	PSC-2-120	PSC-3-60	PSC-3-120	PSC-3-240
Capacity	120 lb	60 lb	120 lb	240 lb	120 lb	240 lb	600 lb
Readability	0.01 lb	0.005 lb	0.01 lb	0.02 lb	0.01 lb	0.02 lb	0.05 lb
Displayed Divisions	12,000						
Internal Divisions	200,000						
Weighing Unit / Function	lb / counting						
Stabilization Time (seconds)	< 1.5						
Tare Range	To capacity by subtraction						
Power Source	Built-in rechargeable battery or external power adapter (included)						
Construction	Stainless steel platform cover, molded aluminum platform						
Display	0.86 inches / 22 mm wide angle viewing LCD						
Platform Size (W x D)	11 x 13 inches / 280 x 330 mm	13 x 17.7 inches / 330 x 450 mm			16.5 x 20.5 inches / 420 x 520 mm		
Dimensions (W x D x H)	11 x 16.5 x 24.8 in / 280 x 420 x 630 mm	13 x 20.7 x 28.3 inches / 330 x 450 x 720 mm			16.5 x 23.5 x 33.9 inches / 420 x 520 x 860 mm		
Operating Environment	32° ~ 104° F non condensing R.H. ≤ 85%						
Net Weight	13.4 lb / 6.1 kg	25.8 lb / 11.7 kg			42.2 lb / 19.2 kg		
Shipping Weight	16.3 lb / 7.4 kg	29.5 lb / 13.4 kg			49.5 lb / 22.5 kg		

PSC - 1 shown (with optional pillar)



PSC - 3 shown



Features

Pillar on PSC-2 and PSC-3 models (option on PSC-1)
Overload and shock protection mechanism

Heavy duty rugged construction
Low profile
Built-in rechargeable battery or external power adapter
Accumulation function

Zero tracking
Automatic power save
Low battery indicator / charge status indicator
Auto-calibration function
Adjustable feet and spirit level

Adjustable through 90° wide-angle LCD display with backlight
Backlight
Indicator in use cover

Benefits

Allows bulky containers to be weighed easily
Protects against excessive load and shock applied to platform

Will withstand harsh industrial operation
Space saving, easy to load and unload platform
Portability; PSC-2 battery lasts 150 hrs, PSC-3 lasts 200 hrs.

Allows you to add together consecutive weights to arrive at a total

Ensures that you always start weighing at zero
Conserves battery power
Alerts you to charge the battery, saving downtime
Ensures accuracy

Scale remains level for accurate results on uneven working surfaces - Anti-slip
Can be seen from a wide viewing range and in poor lighting conditions

Enables use in poor lighting conditions
Keeps indicator clear of contamination

The PSC is equipped with the following state of the art counting features:

Auto Piece Weight Enhancement
Accumulation memory for weight and total count
Full numerical keypad
Over weighing and counting alarm
8 x one touch piece weight PLU

Allows for finer counting
Gives ability to add together weighings, either by count or weight
User friendly operation and fast data entry
Ensures fast throughput with fewer mistakes
Frequently used component sample weights can be stored in memory for easy retrieval